

OVERALL RESULTS

Prepared for:

Jessica Wright
Fayette County Health Department
Teenage Pregnancy Prevention Program Coordinator

Prepared by:

Sarah Forbes
Fayette County Health Department
Teenage Pregnancy Prevention Program Evaluation Specialist

May 27, 2009

SECTION A: DEMOGRAPHICS

School	N	%
Alternative Education	8	5.0%
Brownstown	23	14.4%
Ramsey	25	15.6%
St. Elmo	34	21.3%
Vandalia	70	43.8%

Gender	N	%
Male	72	45.0%
Female	88	55.0%

Age	N	%
15	50	31.3%
16	95	59.4%
17	8	5.0%
18	1	0.6%
Missing Data	6	3.8%

Live With Most of the Time	N	%
Both Parents	81	50.6%
Mother	20	12.5%
Father	12	7.5%
One Parent & One Stepparent	29	18.1%
Other Relatives/Guardians	4	2.5%
Split Time Between Parents	13	8.1%
Other (my boyfriend)	1	0.6%
Missing Data	0	0.0%

Attend Church/Religious Services	N	%
Never Attended Church	10	6.3%
About Once or Twice a Year	20	12.5%
Several Time a Year	9	5.6%
About Once a Month	4	2.5%
2 - 3 Times a Month	18	11.3%
Every Week	48	30.0%
Several Times a Week	22	13.8%
Not Currently Attending Church	28	17.5%
Missing Data	1	0.6%

Biggest Concern of Teens Today	N
Alcohol, Tobacco, Drugs	75
Sex, Pregnancy, STDs	62
Being Accepted, Fitting In, Popular	15
Appearance, Self-Image	11
Peer Pressure	10
School	10
College, Future, Being Adults	7
Friends, Boyfriend/Girlfriend	7
Money	4
Violence	4
Freedom	2
Obesity	2
Other	11
<i>Other Included: depression, drama, having fun, MySpace/Internet, texting, rebellion, being mean, judgmental, consequences of behaviors, being better than what they are</i>	
No Answer	21

SECTION B: AIDS

	TRUE		FALSE		DON'T KNOW	
	N	%	N	%	N	%
B1. Only people who look sick can spread the AIDS virus.	0	0.0%	152	95.0%	7	4.4%
B2. Condoms reduce the risk of getting the AIDS virus.	102	63.8%	40	25.0%	16	10.0%
B3. A person can get the AIDS virus even if he or she has sexual intercourse just one time without a condom.	148	92.5%	3	1.9%	8	5.0%
B4. A person can get AIDS by touching or hugging someone with AIDS.	8	5.0%	134	83.8%	16	10.0%
B5. Most people who have the AIDS virus show signs of being sick right away.	4	2.5%	133	83.1%	22	13.8%
B6. You can get AIDS by having anal sex without a condom.	111	69.4%	8	5.0%	38	23.8%
B7. You can get AIDS by being bitten by a mosquito that has bitten someone with AIDS.	38	23.8%	67	41.9%	54	33.8%
B8. Only people who have sexual intercourse with gay (homosexual) people get AIDS.	5	3.1%	145	90.6%	9	5.6%
B9. You can get AIDS from kissing someone who has AIDS.	29	18.1%	92	57.5%	37	23.1%
B10. You can get AIDS by having sexual intercourse with someone who has shared drug needles.	135	84.4%	9	5.6%	15	9.4%
B11. Birth control pills protect a woman from getting the AIDS virus.	6	3.8%	145	90.6%	8	5.0%

Learned About AIDS**(Mark All that Apply)**

	N	%
School	154	96.3%
Television	109	68.1%
Radio	29	18.1%
Doctors	65	40.6%
Church	20	12.5%
Friends	78	48.8%
Newspapers or Magazines	65	40.6%
Movies	63	39.4%
Books	49	30.6%
Parents or Adult Relatives	91	56.9%
Siblings or Teenage Relatives	40	25.0%
Boyfriend/Girlfriend	26	16.3%
Pamphlets or Flyers	72	45.0%
Billboards	37	23.1%
Internet	62	38.8%
None, No Learning	2	1.3%
Other - Adam	1	0.6%

SECTION C: EXPRESSING OPINIONS

	I Definitely Would Not		I Probably Would Not		I Probably Would		I Definitely Would	
	N	%	N	%	N	%	N	%
C1. Would you talk with your friends about the following topics without being embarrassed: someone you would like to have as a boyfriend or girlfriend, sex, condoms, AIDS, and other sexually transmitted diseases?	17	10.6%	34	21.3%	58	36.3%	50	31.3%
C2. Would you talk with your boyfriend /girlfriend about the following topics without being embarrassed: sex, condoms, AIDS, and sexually transmitted diseases?	14	8.8%	34	21.3%	55	34.4%	57	35.6%
C3. Would you ask someone you like romantically to spend time with you or go out with you?	9	5.6%	22	13.8%	67	41.9%	62	38.8%
C4. Would you tell your boyfriend/girlfriend that you don't want to make out with him/her, to stop touching you sexually, or that you don't want to have sex?	26	16.3%	25	15.6%	33	20.6%	75	47.5%
	I Feel Very Uncomfortable		I Feel Somewhat Uncomfortable		I Feel Somewhat Comfortable		I Feel Very Comfortable	
	N	%	N	%	N	%	N	%
C5. How comfortable do you feel talking with your parent(s) or the adult(s) you live with about sex, sexually transmitted diseases, AIDS, pregnancy, and using condoms?	30	18.8%	43	26.9%	57	35.6%	29	18.1%

SECTION D: TALKING WITH PARENTS

	Yes		No	
	N	%	N	%
D1. Have you ever talked with your parent(s) or the adult(s) you live with about sex or using condoms?	116	72.5%	41	25.6%
D2. Have you ever talked with your parent(s) or the adult(s) you live with about diseases you can get from having sexual intercourse?	84	52.5%	73	45.6%
D3. Have you ever talked with your parent(s) or the adult(s) you live with about pregnancy?	114	71.3%	43	26.9%

SECTION E: WORRY ABOUT CONSEQUENCES OF SEX

	Not at all Worried		Somewhat Worried		Very Worried	
	N	%	N	%	N	%
E1. How worried are you that you might get AIDS?	76	47.5%	49	30.6%	34	21.3%
E2. How worried are you that you might get a disease from having sex?	66	41.3%	59	36.9%	34	21.3%
E3. How worried are you that you might get pregnant if you are a girl, or that you might get a girl pregnant if you are a boy?	49	30.6%	51	31.9%	59	36.9%

SECTION F: CHANCES OF CONSEQUENCES OF SEX

	No Chance At All		Might Happen		Very Likely to Happen	
	N	%	N	%	N	%
F1. What do you think the chances are that you will get a sexually transmitted disease someday?	76	47.5%	76	47.5%	6	3.8%
F2. What do you think the chances are that you will get pregnant or get a girl pregnant before you are 20?	70	43.8%	74	46.3%	15	9.4%

SECTION G: BEHAVIORS OF FRIENDS

	None		A Few		About Half		Most		All	
	N	%	N	%	N	%	N	%	N	%
G1. How many of your friends think condoms are too much trouble to use?	76	47.5%	50	31.3%	13	8.1%	17	10.6%	1	0.6%
G2. How many of your friends do you think have had sexual intercourse?	17	10.6%	47	29.4%	32	20.0%	48	30.0%	14	8.8%
G3. How many of your friends do you think use condoms when they have sex?	14	8.8%	40	25.0%	22	13.8%	49	30.6%	32	20.0%

SECTION H: ABSTINENCE

	Yes		No	
	N	%	N	%
H1. I believe it is possible to wait until marriage to have sexual intercourse.	118	73.8%	41	25.6%
H2. I think there are benefits of waiting until marriage to have sexual intercourse.	126	78.8%	31	19.4%
H3. I plan to save sexual intercourse for marriage.	71	44.4%	84	52.5%

SECTION I: CONDOMS

	They Definitely Do Not		They Probably Do Not		They Probably Do		They Definitely Do	
	N	%	N	%	N	%	N	%
	I1. Condoms break easily.	11	6.9%	45	28.1%	69	43.1%	33
I2. Using condoms correctly helps reduce the risk of getting the AIDS virus and other diseases you can get from sex.	16	10.0%	25	15.6%	66	41.3%	49	30.6%
I3. Condoms slip off easily.	29	18.1%	51	31.9%	60	37.5%	18	11.3%

SECTION J: SEXUAL ACTIVITY

Age First Time Had Sexual Intercourse	N	%
9	1	0.6%
13	7	4.4%
14	22	13.8%
15	28	17.5%
16	16	10.0%
Never had sexual intercourse	83	51.9%
Missing Data	3	1.9%

Number of Partners	N	%*
1 Person	37	48.7%
2 - 3 People	17	22.4%
4 - 5 People	14	18.4%
6 - 7 People	5	6.6%
8 - 9 People	0	0.0%
10 or More	3	3.9%

*Percent of those who have had sexual intercourse (N=76)

Frequency of Sexual Intercourse	N	%*
About once a month or less	19	25.0%
2 - 4 times a month	11	14.5%
Twice a week	10	13.2%
3 times a week or more	7	9.2%
I am not currently having sex	29	38.2%

*Percent of those who have had sexual intercourse (N=76)

Frequency of Condom Use	N	%*
Always	31	41.3%
More than half the time	11	14.7%
About half the time	5	6.7%
Less than half the time	8	10.7%
Never	7	9.3%
I am not currently having sex	13	17.3%

*Percent of those who have had sexual intercourse (N=75)

Condom Use Last Time Had Sex	N	%*
Yes	40	53.3%
No	34	45.3%

*Percent of those who have had sexual intercourse (N=75)

Ever Had Oral Sex	N	%*
Yes	64	85.3%
No	11	14.7%

*Percent of those who have had sexual intercourse (N=75)

Oral Sex Considered "Sex"	N	%*
Yes	28	38.4%
No	45	61.6%

*Percent of those who have had sexual intercourse (N=73)

Sexual Intercourse in Past 2 Months	N	%*
Yes	56	73.7%
No	20	26.3%

*Percent of those who have had sexual intercourse (N=76)

Birth Control in Past 2 Months	N	%*
Condoms	41	73.2%
Birth Control Pills	22	39.3%
Withdrawal	31	55.4%
No Method of Birth Control	19	33.9%

*Percent of those who have had sexual intercourse in the past two months (N=56)

SECTION K: ALCOHOL USE

Age First Time Had Alcohol	N	%
2	1	0.6%
6	2	1.3%
8	3	1.9%
9	3	1.9%
10	6	3.8%
11	5	3.1%
12	11	6.9%
13	27	16.9%
14	21	13.1%
15	13	8.1%
16	5	3.1%
Never had more than a sip or taste	61	38.1%
Missing Data	2	1.3%

Frequency of Alcohol Use	N	%*
Only on religious occasions	2	2.0%
A few times a year	33	33.7%
Once or twice a month	27	27.6%
Once or twice a week	6	6.1%
3 times or more a week	2	2.0%
Every day	1	1.0%
I am not currently drinking alcohol	27	27.6%

*Percent of those who have had alcohol (N=98)

Ridden in a Car with Driver Who Had Been

Drinking - Past 30 Days	N	%*
Yes	28	28.3%
No	71	71.7%

*Percent of those who have had alcohol (N=99)

Drink and Drive - Past 30 Days	N	%*
Yes, drove a car after drinking	5	5.1%
No, did not drive a car after drinking	42	42.4%
No, did not drink in the past 30 days	52	52.5%

*Percent of those who have had alcohol (N=99)

Frequency of Condom Use	N	%*
Always	11	11.1%
Usually	3	3.0%
About half the time	4	4.0%
Ususally did not	5	5.1%
Never	8	8.1%
Never had sexual intercourse after drinking	68	68.7%

*Percent of those who have had alcohol (N=99)

SECTION L: CIGARETTE USE

Age Smoked First Whole Cigarette	N	%
Never tried smoking	88	55.0%
Never smoked a whole cigarette	3	1.9%
8 years old or younger	4	2.5%
9 or 10 years old	12	7.5%
11 or 12 years old	8	5.0%
13 or 14 years old	25	15.6%
15 or 16 years old	18	11.3%
17 years old or older	1	0.6%
Missing Data	1	0.6%

Frequency of Smoking - Past 30 Days	N	%*
1 or 2 days	9	12.7%
3 to 5 days	3	4.2%
6 to 9 days	3	4.2%
10 to 19 days	3	4.2%
20 to 29 days	6	8.5%
All 30 days	19	26.8%
I did not smoke cigarettes	28	39.4%

*Percent of those who have smoked (N=71)

Obtain Cigarettes - Past 30 Days	N	%*
I bought them from a store	5	11.9%
I bought them from a vending machine	2	4.8%
I gave someone else money to buy them	17	40.5%
From a person 18 years or older	6	14.3%
From a person younger than 18	7	16.7%
I took them from a store	0	0.0%
Other way - Mom/dad bought, not explaining	3	7.1%
Multiple sources checked	2	4.8%

*Percent of those who have smoked in the past 30 days (N=42)

Purchase Last Pack of Cigarettes -

Past 30 Days	N	%*
I did not buy a pack of cigarettes	9	22.0%
A gas station	20	48.8%
A drug store	0	0.0%
A vending machine	2	4.9%
Over the internet	0	0.0%
A grocery store	2	4.9%
Other-bunch of places, homemade	4	9.8%
Multiple sources checked	4	9.8%

*Percent of those who have smoked in the past 30 days (N=41)

SECTION M: MARIJUANA USE

Age First Tried Marijuana	N	%
10	1	0.6%
11	3	1.9%
12	2	1.3%
13	11	6.9%
14	11	6.9%
15	5	3.1%
16	4	2.5%
Never tried marijuana	121	98.8%
Missing Data	2	1.3%

Frequency of Marijuana Use	N	%*
Not currently using marijuana	23	60.5%
A few times a year	4	10.5%
Once or twice a month	5	13.2%
Once or twice a week	0	0.0%
3 times or more a week	4	10.5%
Every day	2	5.3%

*Percent of those who have had marijuana (N=38)

Frequency of Condom Use	N	%*
Always	3	8.8%
Usually	1	2.9%
About half the time	3	8.8%
Ususally did not	6	17.6%
Never	7	20.6%
Never had sex after smoking marijuana	14	41.2%

*Percent of those who have had marijuana (N=34)

SECTION N: RELATIONSHIPS

Log onto Social Networking Sites	N	%
Never	32	20.0%
Once or twice a month	19	11.9%
Once or twice a week	39	24.4%
Once a day	30	18.8%
More than once a day	27	16.9%
Other	9	5.6%
<i>Other included 3-4 times a week, every once and a while, once every 3 months, once per 6 months; whenever I can</i>		
Missing Data	4	2.5%

Age of Boys/Girls Go On Dates With	N	%
Younger by 3 or more years	0	0.0%
1 -2 years younger	10	6.3%
Same age	50	31.3%
1 - 2 years older	57	35.6%
Older by 3 or more years	14	8.8%
Never gone out with anyone	21	13.1%
Multiple Answers Checked	4	2.5%
Missing Data	4	2.5%

Age of Friends	N	%
Younger by 3 or more years	0	0.0%
1 - 2 years younger	7	4.4%
Same age	78	48.8%
1 - 2 years older	46	28.8%
Older by 3 or more years	8	5.0%
Multiple Answers Checked	17	10.6%
Missing Data	4	2.5%

SECTION O: PHYSICAL/EMOTIONAL ABUSE

Friends Physically Abused by BF/GF	N	%
Yes	39	24.4%
No	119	74.4%

Self Physically Abused by BF/GF	N	%
Yes	10	6.3%
No	149	93.1%

Forced to Have Sexual Intercourse	N	%
Yes	11	6.9%
No	147	91.9%

Friends Emotionally Abused by BF/GF	N	%
Yes	69	43.1%
No	90	56.3%

Self Emotionally Abused by BF/GF	N	%
Yes	37	23.1%
No	121	75.6%

Victim of Bullying at School	N	%
Yes	53	33.1%
No	104	65.0%

SECTION P: FEELINGS DURING PAST 12 MONTHS

Sad or Hopeless - Stopped Usual Activities	N	%
Yes	40	25.0%
No	119	74.4%

Cutting or Hurting Self on Purpose	N	%
Yes	29	18.1%
No	130	81.3%

Consider Suicide	N	%
Yes	21	13.1%
No	137	85.6%

Plan Suicide	N	%
Yes	14	8.8%
No	145	90.6%

Attempt Suicide	N	%
Yes	5	3.1%
No	153	95.6%

SECTION Q: FEELINGS AT SCHOOL

Adults I Can Talk To	N	%
Yes	127	79.4%
No	31	19.4%

Students Respect Me	N	%
Yes	123	76.9%
No	34	21.3%

Teachers Respect Me	N	%
Yes	131	81.9%
No	25	15.6%

I Feel Safe	N	%
Yes	127	79.4%
No	31	19.4%